




AI Panda ChatBot

Quick Start Guide

Device Part



- **Power Button:**


Click to turn the screen on or off; long press for 3S to power on or off.

- **AI Button:**

When the device is powering on, click to enter network pairing mode;
During device use, click to wake or exit AI function.

Quick Start

1. Long press for 3S to power on and enter network pairing mode.



Please use mobile phones or other devices to connect to WiFi for network configuration:
AI_Panda_Chatbot-xxxx

2. Open your phone/computer's WIFI list, click on AI_Panda_Chatbot-XXXX to enter WIFI pairing mode. Choose an available WIFI network, enter the WIFI password, and click "connect".

Wi-Fi Config English ▾


New Wi-Fi

SSID:

Password:


Connect

3. After connecting to the network, enter AI Hub Registration mode.



Please open the website:
xiaozhi.me
XXXXXX

4. Open the browser: <https://xiaozi.me/>. You can switch languages in the top right corner.



The screenshot shows the homepage of the XiaoZhi AI website. At the top, there is a navigation bar with a back arrow, a forward arrow, a search bar containing the URL 'https://xiaozi.me/' (which is highlighted with a red box), and a language switcher for 'English'. Below the navigation bar is the main content area. In the center of this area is a small, friendly-looking robot head icon with a blue antenna. Below the icon, the text 'Let's explore the fascinating world of AI and robotics together!' is displayed. At the bottom of the main content area are three buttons: 'DIY Tutorial' (with a gear icon), 'GitHub' (with a GitHub icon), and 'Console' (with a terminal icon, which is also highlighted with a red box). The entire page has a clean, modern design with a white background and a dark header bar.

5. Click “Console”, Select the international dialing code for your phone number, enter your phone number, and Login.

XiaoZhi AI

English

Login


Phone Username

+86




By logging in, you agree to the [User Agreement](#) and [Privacy Policy](#)


6. After completing the login, click “Create Agent”.



7. Set a name for the AI Agent and click “Confirm”.



8. After creating the AI Agent, click "**Configure Role**" to set up your role. Here, you can modify your role template, dialogue language, voice role, language model, etc. Click "**Save**" after completing all configurations.



XiaoZhi AI

Agents

Voice Clone

Knowledge Base (Beta version)

Console / Agents

+ Add Device

开启我的独家记忆

Agent Share Code

elecrow

Voice Role: 淘淘小柯

Language Model: Qwen3 235B (Fast)

Recent Chat: None

Configure Role

Speaker Recognition

Chat History

Add Device

Configure Role

Configure Role elecrow

Role Template

台湾男友

土豆子

English Tutor

好奇小男孩

江湖队队长

Assistant Name

小智

Dialogue Language

English

Voice Role

Skye (en-US)



▼

Role Introduction

AI Optimize

我是一个叫 [assistant_name] 的 8 岁小男孩。我现在因为在科技发展原因。我现在在遥远的宇宙中，所以只能通过这个设备和人聊天，没有办法见面。

我对人们所处的世界充满好奇心和关心。

942 / 2000

Memory Type

Memory (Short-term) ▼

> Advanced Settings


> MCP Settings

Save

Reset

Note: After saving the configuration, the device needs to be restarted for the new settings to take effect.

9. Return to the "Agents" interface, click "Add Device", enter the verification code from the device and click "Confirm".



Console / Agents

+ Add Device

开启我的独家记忆

Agent Share Code

elecrow

Voice Role: 隆深小何

Language Model: Qwen3 235B (fast)

Recent Chat: None

Configure Role

Speaker Recognition

Chat History

Add Device



Console / Agents

+ Add Device

elecrow


Agent Share Code

Add Device

Verification Code: Enter the 6-digit code announced by the device

Cancel

Confirm



10. After completing all the above steps, restart the device.

Main Specifications

Product Name	AI Panda ChatBot
MCU	ESP32-S3,8MB PSRAM,16MB Flash
Display	1.28"
Wireless	Wi-Fi
Battery capacity	600mAh
Dimensions	62*60*32(mm)
Power Input	5V/1A (Max 2A)

FAQ

1. How to reconfigure the network?

When the device is powering on, click the AI Button to enter network pairing mode.

2. Why does it not work after I reconfigure the role?

After configuring and saving the role, you need to restart the device.

3. How to rebind the device?

You need to log in to the website, open your Agent, click "Manage Devices", delete the bound devices, and then restart the device.